



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: **H507 Durcisseur Marin**

· Article number / formula: H507

· UFI: GCG0-A0TW-700C-KYYX

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use SU21 Consumer uses: Private households / general public / consumers

· Application of the substance / the preparation : Coating compound/ Surface coating/ paint

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

STARDUSTCOLORS SAS

ZA de Tesan

30126 St Laurent des Arbres

FRANCE

Tel : +33 466 50 61 66

Email : info@stardustcolors.com

Web : www.stardustcolors.com

· 1.4 Emergency telephone number:

France (INRS 24h/24) - Tel : +33 (0)1 45 42 59 59

Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112

Belgium - Brüssel: +32 070/245 245

UK : Call NHS 999 in a medical emergency. If you urgently need medical help or advice but it's not a life-threatening situation, call 111 (24/7). The NHS 111 number is currently only available in certain areas. If you're outside of these areas, you should call NHS Direct on 0845 4647

Swiss Toxicological Information Centre (Zürich) : +41 44 251 51 51 / www.toxi.ch.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008 :



GHS02 flame

Flam. Liq. 3

H226 Flammable liquid and vapour.

(Contd. on page 2)

— GB —



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 1)



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the C.L.P. regulation.

· Hazard pictograms



GHS02 GHS07

· Signal word Warning

· Hazard-determining components of labelling:

BUTYL ACETATE

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

2-methoxy-1-methylethyl acetate

· Hazard statements

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P312 Call a POISON CENTER/doctor if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

EUH208 Contains n-butyl acrylate. May produce an allergic reaction.

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 2)

· 2.3 Other hazards

The mixture shall not contain substances listed in accordance with Article 59(1) R.E.A.C.H as having endocrine disrupting properties, or be recognised as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in a concentration equal to or greater than 0.1%.

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Determination of endocrine-disrupting properties** No further information available

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

- **Description:** Preparation: composed of the substances listed below.

· Dangerous components:

CAS: 123-86-4	BUTYL ACETATE	25-<50%
EINECS: 204-658-1	⚠ Flam. Liq. 3, H226; ⚠ STOT SE 3, H336, EUH066	
Index number: 607-025-00-1		
RTECS: AF 7350000		
Reg.nr.: 01-2119485493-29-xxxx		
CAS: 108-65-6	2-methoxy-1-methylethyl acetate	2.5-<10%
EINECS: 203-603-9	⚠ Flam. Liq. 3, H226; ⚠ STOT SE 3, H336	
Index number: 607-195-00-7		
Reg.nr.: 01-2119475791-29		
EC number: 920-750-0	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	2.5-<10%
Reg.nr.: 01-2119473851-33	⚠ Flam. Liq. 2, H225; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ STOT SE 3, H336	
CAS: 141-32-2	n-butyl acrylate	0-<2.5%
EINECS: 205-480-7	⚠ Flam. Liq. 3, H226; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319;	
Index number: 607-062-00-3	Skin Sens. 1, H317; STOT SE 3, H335	
RTECS: UD 3150000		

- **SVHC** Not applicable
- **Additional information:** For the wording of the listed risk phrases, refer to section 16.

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 3)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:** Provide fresh air; consult a doctor in case of medical complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed :

No further relevant information is available.

· 4.3 Indication of any immediate medical attention and special treatment needed :

No further relevant information is available.

SECTION 5: Firefighting measures

- **5.1 Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet

· 5.2 Special hazards arising from the substance or mixture :

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

CO₂

Under certain fire conditions, traces of other toxic gases cannot be excluded.

· 5.3 Advice for firefighters

- **Protective equipment:** Mouth respiratory protective device.
 - **Additional information** Cool endangered receptacles with water spray.
-

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures :

Wear protective equipment. Keep unprotected persons away.

- **For non-emergency personnel** No other relevant information available.

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 4)

- **For emergency responders** No other relevant information available.
- **6.2 Environmental precautions:**
 - Do not allow product to reach sewage system or any water course.
 - Inform respective authorities in case of seepage into water course or sewage system.
 - Do not allow the product to enter sewers/ surface water or ground water.
- **6.3 Methods and material for containment and cleaning up:**
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 - Do not flush with water or aqueous cleansing agents
- **6.4 Reference to other sections :**
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protective equipment.
 - See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling :** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:**



Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:**
 - Keep container tightly sealed.
 - Protect from heat and direct sunlight.
- **Recommended storage temperature:** 5°C-40°C
- **7.3 Specific end use(s) :** No further relevant information available.

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 5)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 123-86-4 BUTYL ACETATE (25-<50%)

WEL (Great Britain) Short-term value: 966 mg/m³, 200 ppm
Long-term value: 724 mg/m³, 150 ppm

IOELV (EU) Short-term value: 723 mg/m³, 150 ppm
Long-term value: 241 mg/m³, 50 ppm

MAK (Switzerland) Short-term value: 720 mg/m³, 150 ppm
Long-term value: 240 mg/m³, 50 ppm
SSc;

CAS: 108-65-6 2-methoxy-1-methylethyl acetate (5-<10%)

WEL (Great Britain) Short-term value: 548 mg/m³, 100 ppm
Long-term value: 274 mg/m³, 50 ppm
Sk

IOELV (EU) Short-term value: 550 mg/m³, 100 ppm
Long-term value: 275 mg/m³, 50 ppm
Skin

MAK (Switzerland) Short-term value: 275 mg/m³, 50 ppm
Long-term value: 275 mg/m³, 50 ppm
SSc;

CAS: 141-32-2 n-butyl acrylate (<2.5%)

WEL (Great Britain) Short-term value: 26 mg/m³, 5 ppm
Long-term value: 5 mg/m³, 1 ppm

IOELV (EU) Short-term value: 53 mg/m³, 10 ppm
Long-term value: 11 mg/m³, 2 ppm

MAK (Switzerland) Short-term value: 22 mg/m³, 4 ppm
Long-term value: 11 mg/m³, 2 ppm
H S SSc;

· DNELs

CAS: 123-86-4 BUTYL ACETATE

Oral	DNEL Public long-term systemic	3.4 mg/kg bw/d
Dermal	DNEL Public long-term systemic	3.4 mg/kg bw/d
	DNEL Worker long-term systemic	7 mg/kg bw/d

(Contd. on page 7)



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 6)

Inhalative DNEL Public long-term systemic	102.34 mg/m ³
DNEL Worker long-term systemic	480 mg/m ³
DNEL Worker long-term local effects	480 mg/m ³
DNEL Worker acute/short-term local effects	960 mg/m ³

CAS: 108-65-6 2-methoxy-1-methylethyl acetate

Oral DNEL Public long-term systemic	1.67 mg/kg bw/d
Dermal DNEL Public long-term systemic	54.8 mg/kg bw/d
DNEL Worker long-term systemic	153.3 mg/kg bw/d
Inhalative DNEL Public long-term systemic	33 mg/m ³
DNEL Worker long-term local effects	275 mg/m ³

PNECs**CAS: 123-86-4 BUTYL ACETATE**

PNEC STP	160 mg/L
PNEC aqua (fresh water)	10 mg/L
PNEC sediment (fresh water)	41.6 mg/kg
PNEC sediment (marine water)	4.17 mg/kg
PNEC soil	2.47 mg/kg

CAS: 108-65-6 2-methoxy-1-methylethyl acetate

PNEC STP	100 mg/L
PNEC aqua (fresh water)	0.635 mg/L
PNEC aqua (intermittent releases)	6.35 mg/L
PNEC aqua (marine water)	0.0635 mg/L
PNEC sediment (fresh water)	3.29 mg/kg
PNEC sediment (marine water)	0.329 mg/kg
PNEC soil	0.29 mg/kg

Additional information:

The most current valid lists have been used as a basis for the production of this document.

8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 7)

· **Respiratory protection:**



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**



Protective gloves

· **Gloves material :** Nitrile rubber, NBR

· **Eye/face protection**



Tightly sealed goggles

· **Body protection:**



Protective work clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Form:**

Liquid

· **Colour:**

According to product specification

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined

· **Melting point/freezing point:**

Not determined.

· **Boiling point or initial boiling point and boiling range**

Not determined.

· **Flammability**

Flammable.

· **Lower and upper explosion limit**

· **Lower:**

Not determined

· **Upper:**

Not determined

· **Flash point:**

23 °C

(Contd. on page 9)



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 8)

· Auto-ignition temperature:	Not applicable
· Decomposition temperature:	Not determined
· pH	Mixture is non-polar/aprotic.
· Viscosity:	
· Kinematic viscosity at 40 °C	>21 mm ² /s
· Dynamic:	Not determined
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure:	Not determined
· Density and/or relative density	
· Density at 20 °C:	>1 g/cm ³
· Relative density :	Not determined
· Vapour density :	Not determined
· 9.2 Other information :	
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self igniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Solvent content:	
· VOC (EC)	459 g/l
· COV (CH) :	27.5-<65 %
· Change in condition	
· Evaporation rate :	Not determined
· Information with regard to physical hazard classes	
· Explosives	Not classified as hazardous
· Flammable gases	Not classified as hazardous
· Aerosols	Not classified as hazardous
· Oxidising gases	Not classified as hazardous
· Gases under pressure	Not classified as hazardous
· Flammable liquids	Flammable liquid and vapour.
· Flammable solids	Not classified as hazardous
· Self-reactive substances and mixtures	Not classified as hazardous
· Pyrophoric liquids	Not classified as hazardous
· Pyrophoric solids	Not classified as hazardous
· Self-heating substances and mixtures	Not classified as hazardous

(Contd. on page 10)



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 9)

- | | |
|--|-----------------------------|
| · Substances and mixtures, which emit flammable gases in contact with water | Not classified as hazardous |
| · Oxidising liquids | Not classified as hazardous |
| · Oxidising solids | Not classified as hazardous |
| · Organic peroxides | Not classified as hazardous |
| · Corrosive to metals | Not classified as hazardous |
| · Desensitised explosives | Not classified as hazardous |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions :** No dangerous reactions known.
- **10.4 Conditions to avoid :** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**

CAS: 123-86-4 BUTYL ACETATE

Oral LD50 13,100 mg/kg (rat)
Dermal LD50 >5,000 mg/kg (rabbit)
Inhalative LC50/4 h >21 mg/l (rat)

CAS: 108-65-6 2-methoxy-1-methylethyl acetate

Oral LD50 8,532 mg/kg (rat)
Inhalative LC50/4 h 35.7 mg/l (rat)

CAS: 141-32-2 n-butyl acrylate

Oral LD50 900 mg/kg (rat)
Dermal LD50 2,000 mg/kg (rabbit)

- **Primary irritant effect:**
- **On the skin:** Based on available data, the classification criteria are not met.
- **On the eyes:** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitization** Based on available data, the classification criteria are not met.

(Contd. on page 11)



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 10)

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **11.2 Information on other hazards**
- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**


CAS: 108-65-6 2-methoxy-1-methylethyl acetate

LC50 96h 134 mg/l (Oncorhynchus mykiss)

EC50 48h >500 mg/l (daphnia)

- **12.2 Persistence and degradability** : No further relevant information available.
- **12.3 Bioaccumulative potential** : No further relevant information available.
- **12.4 Mobility in soil** : No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT**: Not applicable
- **vPvB**: Not applicable
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects** : No further relevant information available.
- **Remark**: Harmful to fish
- **Additional ecological information:**
- **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water



Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

(Contd. on page 12)



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 11)

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation :**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

HP3 Flammable

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP14 Ecotoxic

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **DOT, ADR, IMDG, IATA** UN1263
- **14.2 UN proper shipping name**
- **ADR** UN1263 PAINT RELATED MATERIAL
- **IMDG, IATA** PAINT RELATED MATERIAL
- **14.3 Transport hazard class(es)**

- **ADR**



- **Class** 3 (F1) Flammable liquids.
- **Label** 3

(Contd. on page 13)



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 12)

· IMDG, IATA

- **Class** 3 Flammable liquids.
- **Label** 3
- **14.4 Packing group**
- **ADR, IMDG, IATA** III
- **14.5 Environmental hazards:** Not applicable
- **14.6 Special precautions for user** Warning: Flammable liquids.
- **Hazard identification number (Kemler code):** 30
- **EMS Number:** F-E,S-E
- **Stowage Category** A
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable

· Transport/Additional information:

· ADR

- **Limited quantities (LQ)** 5L
- **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
- **Transport category** 3
- **Tunnel restriction code** D/E

· IMDG

- **Limited quantities (LQ)** 5L
- **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
- **UN "Model Regulation":** UN 1263 PAINT RELATED MATERIAL, 3, III

(Contd. on page 14)



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 13)

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients is listed.

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

None of the ingredients is listed.

· **Reportable poisons**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category P5c FLAMMABLE LIQUIDS**

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 15)



Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 14)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Classification in accordance with Delegated Regulation (EU) 2023/1435 of 2 May 2023 adapting to technical and scientific progress for the 20th time GB CLP and amending Annex VI part 3 of Regulation (EC) 1272/2008.

Classification in accordance with Delegated Regulation (EU) 2024/197 of 19 October 2023 adapting to technical and scientific progress for the 21st time GB CLP and amending Annex VI part 3 of Regulation (EC) 1272/2008.

Classification in accordance with Delegated Regulation (EU) 2024/2564 of 19 June 2024 adapting to technical and scientific progress for the 22nd time GB CLP and amending Annex VI part 3 of Regulation (EC) 1272/2008.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2023/707.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

· Classification according to Regulation (EC) No 1272/2008

Flammable liquids	Bridging principles
Specific target organ toxicity (single exposure)	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	Expert judgement

· Date of previous version: 19.05.2026

· Abbreviations and acronyms:

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association

(Contd. on page 16)



Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 19.05.2026

Version number 1

Revision: 19.05.2026

Trade name: H507 Durcisseur Marin

(Contd. of page 15)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3